

Finding the correct WebTable:

I am stuck on how to find the currently open table in the following screen:

The screenshot shows a web browser window titled "Wisdom ITE - Windows Internet Explorer". The navigation bar includes tabs for "Welcome", "Advisor", "Client Mgmt", "Trading", "Investment Plan", "Quotes & Markets", "Research", "Resources", "Admin", and "InfoMAX". Below this is a secondary menu with "All Images", "Statements", "Confirmations", "Tax Documents", and "Agreements".

The main content area displays account information: "Current Household: None selected" and "Current Account: 1000058-A C C I INC". There is a search box for "Household:" and a dropdown for "Select acct:". Below this is a section titled "Image Access" with a "Results" button and a list of links: "Account Documents", "Rep Reports", "Branch Reports", "Sub Firm Reports", and "Firm Reports".

The "All Images" section is active, showing a list of "Account Documents". The list is organized into two sections: "Group Name" and "Document Type".

Group Name

- ⊕ [Favorites](#)
- ⊕ [CLIENT DOCUMENTS - PCG](#)
- ⊕ [CLIENT DOCUMENTS - FCCS](#)
- ⊕ [CLIENT DOCUMENTS - LATAM](#)
- ⊕ [CLIENT DOCUMENTS - FINET](#)
- ⊖ [CLIENT DOCUMENTS - WBS](#)

Document Type

- [ANNUAL SUMMARIES AND YEARLY TAX FORMS](#)
- [ANNUAL SUMMARIES AND YEARLY TAX FORMS CHL](#)
- [ASSET TRANSFER/401 NOTIFICATIONS](#)
- [BRR CERTIFICATIONS](#)
- [CAP STATEMENTS - HISTORICAL \(PRIOR TO DEC 2005\)](#)
- [CLIENT CONFIRMATIONS - HISTORICAL](#)
- [CLIENT CONFIRMATIONS - PRIOR 3 MONTHS](#)
- [CLIENT LETTERS AND DOCUMENTS BY ACCOUNT](#)
- [COMMAND CHECK IMAGES](#)
- [CUSTOMER CHECKS BY ACCOUNT#](#)
- [IRA STATEMENTS](#)
- [SECURITIES BACKED LINE OF CREDIT - HISTORICAL](#)
- [SECURITIES BACKED LINE OF CREDIT - PRIOR 13 MONTHS](#)
- [STATEMENTS - HISTORICAL](#)
- [STATEMENTS - PRIOR 13 MONTHS](#)

Additional document types listed below:

- ⊕ [CLIENT DOCUMENTS - HDVEST](#)
- ⊕ [CLIENT DOCUMENTS - WELLSTRADE](#)
- ⊕ [BOSS HISTORICAL SEARCHES](#)
- ⊕ [CLIENT IMAGED DOCUMENTATION](#)
- ⊕ [CLIENT IMAGED DOCUMENTATION - BO/CONTACT CENTER](#)
- ⊕ [FAX STATUS REPORTS](#)
- ⊕ [LEGACY AG EDWARDS HISTORICAL SEARCHES](#)

As you open each of the Document Type links (ie [CLIENT DOCUMENTS - PCG](#)) a new set of report links open. Each Document Type could repeat names and even though the other Report Links disappear, QTP can find them.

I need to be able to find and set the table to the currently visible table.

I was using the code (table name incremented by 2)

```
For GrC = 1 to N
```

```
NumGr = GrC+2
```

```
If Browser("Wisdom").Page("WisdomLogin").Frame("parent").WebTable("Document Type_" & NumGr).Exist(1) Then
    Set TableObj = Browser("Wisdom").Page("WisdomLogin").Frame("parent").WebTable("Document Type_" & NumGr)
Next
```

But this failed to find the correct table on following iterations.

I then tried:

```
For GrC = 1 to N
```

```
NumGr = GrC+2
```

```
    If Browser("Wisdom").Page("WisdomLogin").Frame("parent").WebElement("innerHTML=" & GroupName & *,
"Visible:=True").Exist(1) Then
```

```
        Set TableObj = Browser("Wisdom").Page("WisdomLogin").Frame("parent").WebElement("innerHTML=" &
GroupName, "Visible:=True")
```

```
    ElseIf Browser("Wisdom").Page("WisdomLogin").Frame("parent").WebTable("innerHTML:= Document Type",
"Visible:=True").Exist(1) Then
```

```
        Set TableObj = Browser("Wisdom").Page("WisdomLogin").Frame("parent").WebTable("innerHTML=" & "Document
Type", "Visible:=True")
```

```
    ElseIf Browser("Wisdom").Page("WisdomLogin").Frame("parent").WebTable("innerHTML:=Document Type",
"Visible:=True").Exist(1) Then
```

```
        Set TableObj = Browser("Wisdom").Page("WisdomLogin").Frame("parent").WebTable("innerHTML:=Document Type",
"Visible:=True")
```

```
    ElseIf Browser("Wisdom").Page("WisdomLogin").Frame("parent").WebTable("Document Type_" & NumGr).Exist(1) Then
        Set TableObj = Browser("Wisdom").Page("WisdomLogin").Frame("parent").WebTable("innerHTML:=Document Type",
"Visible:=True") ' '_' & NumGr)
```

```
    ...
Next
```

But none of these work either.

Do you have a solution?

OSpy below

Use the pointing hand button to select the object whose properties or methods you want to view.

Tip: Hold the Ctrl key to change the window focus or perform other mouse operations.

Keep Object Spy on top while spying.

Browser : Wisdom ITE
Page : Wisdom ITE
Frame : parent
WebTable : CLIENT DOCUMENTS - WBS
WebTable : Document Type
Link : ANNUAL SUMMARIES AND YEARLY TAX FORMS CHL

Native Properties Identification Properties

Properties | Operations

Properties	Values
Class Name	WebTable
abs_x	50
abs_y	512
border	
class	
cols	3
column names	Document Type;Document ID Actions
height	314
html id	NestedGrid5
html tag	TABLE
innerhtml	<TBODY><TR><TH style="TEXT-ALIGN: left; WIDTH: 60%">Documen
innertext	Document TypeDocument IDActions.ANNUAL SUMMARIES AND YEA
name	ANNUAL SUMMARIES AND YEARLY TAX FORMS
outerhtml	<TABLE style="DISPLAY: block" id=NestedGrid5 cellSpacing=0 cellPad
outertext	Document TypeDocument IDActions.ANNUAL SUMMARIES AND YEA
rows	18
text	Document TypeDocument IDActions.ANNUAL SUMMARIES AND YEA
visible	True
width	1572
x	37
y	343

Class Name

Description:

Close Help

